



**Garry Oak
Ecosystems
Recovery Team**

**Stewardship Account for
Fragrant Popcornflower**
Plagiobothrys figuratus

Prepared for the
Garry Oak Ecosystems Recovery Team

March 2002

by

Brenda Costanzo,

BC Conservation Data Centre,

PO Box 9344

Station Provincial Government,

Victoria, BC V8W 9M7

Funding provided by the Habitat Stewardship
Program of the Government of Canada and
the Nature Conservancy of Canada

Canada



**NATURE
CONSERVANCY**
C A N A D A

STEWARDSHIP ACCOUNT

Plagiobothrys figuratus (Piper) I.M. Johnst. Ex M.E. Peck

Species information:

Kingdom: Plantae
Subkingdom: Tracheobionta
Superdivision: Spermatophyta
Division: Magnoliophyta
Class: Magnoliopsida
Subclass: Asteridae
Order: Lamiales

(Above from U.S.D.A. Plants Database)

Family: Boraginaceae
Subfamily: Boraginoideae
Tribe: Eritrichieae
Genus: *Plagiobothrys*
Section: *Allocarya*
Species: *figuratus*

Plagiobothrys figuratus (Piper) I.M. Johnst. ex M.E. Peck
Fragrant Popcornflower
(Douglas *et al.*, 1998; Dellavalle-Sanvictories, 2000)

Synonyms: (from Hitchcock *et al.*, 1959)

Allocarya figurata Piper
Plagiobothrys hirtus var. *figuratus* Johnst.
Allocarya dichotoma Brand

Taxonomists have been debating the species within the genera of *Allocarya* and *Plagiobothrys* since the early 1900's. Hitchcock *et al.* (1959) follows Johnston's 1923 treatment using minor variations in the nutlets as the basis for establishing species within *Plagiobothrys*. In a recent communication with Mary Dellavalle Sanvictories, she follows the one stream of thought that Johnston combined too many species and Piper split the species too much. However, since no one has done any testing of the species treatments in the genus she feels it is still one expert's opinion against the others (M. Dellavalle Sanvictories, 2000).

Additionally, *P. figuratus* maybe reduced into *P. hirtus*, and furthermore, *Allocarya scouleri* (= *Plagiobothrys scouleri*) has been erroneously applied to this species (Hitchcock *et al.*, 1959). Dellavalle-Sanvictories (2000) states that this paraphyletic group needs revision specifically to retest the monophyly of the genus.

The genus name is from the Greek "plagios" placed sideways, and "bothros" meaning pit or excavation, in reference to the position of the scar on the nutlet (Hitchcock *et al.* 1959).

Description

Plagiobothrys figuratus is a sparsely to moderately strigose, (also sometimes with slender spreading hairs), erect annual herb with a simple or branched stem 10-40 cm tall from fibrous roots. There are few basal leaves and stem leaves are oblong to linear, entire, 0.5-8 cm long, and 3-8 mm wide. The lower 2-4 pairs of leaves are opposite, and the others are alternate. The inflorescence is composed of several, coiled, narrow, elongating, often paired bractless spikes. The flowers are large (the corolla limb is 5-10 mm wide) and showy with white petals that are fused at the base into a tube. The throat has 5 yellow bulges (nectaries?). The fruiting calyces are densely ascending-hairy, often with reddish-brown hairs, and 3-4 mm long. There are 4 ovate, rugose or rugose-tuberculate nutlets (some of which may abort), each 1.2-1.7 mm long (Douglas *et al.*, 1998).

Illustration: see page 63 of Douglas *et al.*, 1998.

P. figuratus can be confused with *Plagiobothrys scouleri* (Scouler's popcornflower) and *P. tenellus*, both which occur in similar habitats. Also, it has often been confused with *Cryptantha intermedia* var. *grandiflora* (*C. hendersonii*) (Hitchcock *et al.*, 1959).

Range and Known Distribution:

Plagiobothrys figuratus occurs in Canada in southwestern British Columbia. In the U.S. it occurs in southwestern Alaska where, according to Hulten (1968), it is introduced at Mendendhall (Alaska Panhandle). It is found in Washington in Klickitat Co., (Hitchcock *et al.*, 1959) and Oregon mainly west of the Cascade Mountains in the Puget trough and Columbia gorge and in the Willamette valley (in Jackson and Josephine counties {Oregon Natural Heritage Program web site, 2001}). In Canada, this species is restricted to southwestern B.C., where it is known only from the southeast coast of Vancouver Island (Nanaimo or Wellington {RBCM herbarium records}) and Hornby Island (Douglas *et al.*, 2002; RBCM objects database).

It also occurs as an exotic species in Arkansas (Smith, 1994), Illinois, in St. Clair Co. (Mohlenbrook, 1975); North Carolina in Durham and Orange Counties (Radford, 1968); and Michigan (NatureServe web site, 2001).

Habitat Description:

In British Columbia, the species has been collected from wet places, often ephemeral areas (including in cultivated fields) that dry up later in the growing season (BC CDC HERB database, 2001). Douglas *et al.* (2002) describes the habitat as moist to mesic

coastal bluffs. Douglas *et al.* (1998) describe the habitat as moist to mesic sites in the lowland Coastal Douglas-fir zone. **Elevation:** Hitchcock *et al.* (1959) describes the habitat as meadows, low ground and moist fields. Peck (1961) describes it growing in damp open ground.

According to Welsh (1987), in southeastern Alaska it is a weedy species of disturbed soils. In Washington, grows on low ground that is very wet during the winter, and very dry in the summer (Gilkey and Dennis, 1967).

Status of Species:

Global rank: G4T4

Canada Heritage Rank: N1

British Columbia: S1

Alaska and Washington: SR

Arkansas, Illinois, Michigan, North Carolina: SE

Oregon: S4

Habitat ownership/protection:

The Hornby Island location at Cape Gurney, Whaling Station is privately owned, and there is no protection, no management plan nor any government responsibility for this site.

Plagiobothrys tenellus (slender popcornflower) is red-listed in British Columbia where it occurs on mesic to dry sites in the lowland zone and only found on southeastern Vancouver Island and the Gulf Islands (Douglas *et al.*, 2002).

There are no known uses of this species and no horticultural species (Bailey and Bailey, 1976).

Life History:

- a) General – Annual potentially requiring wet winters and spring, followed by dry summers.
- b) Phenology – Flowers in May – June. Potentially a winter annual.
- c) Pollination Biology – Nothing known. Potentially an outcrosser and *Plagiobothrys figuratus* maybe a derivative selfer of *P. diffusus*/*P. reticulatus* group. (Kelch, pers. comm.).
- d) Reproductive ecology – Annual, producing four to two nutlets.
- e) Survival – Nothing known.
- f) Physiology – Nothing known.
- g) Dispersal – Nutlets are smooth therefore no dispersal mechanism.

- h) Nutrition & Interspecific Interactions - Although no information has been obtained to suggest that *Plagiobothrys figuratus* is toxic to livestock, an unknown species of *Plagiobothrys* has been shown to have toxic concentrations of nitrates in silage (Tucker 1961, as cited in Kingsbury 1964).
- i) Behaviour/Adaptability – Nothing known.

How the species is at risk:

There is only one site for this species in Canada therefore further inventory is required in additional potential habitats. There is also little known about the biology of the species and therefore the population trends and survival mechanisms are unknown.

Management Recommendations :

Although not enough is known about this species at this time, the protection of this one site is an obvious management recommendation.

References/Literature Cited:

Bailey, Liberty Hyde and Ethel Zoe Bailey. 1976. Hortus Third. MacMillan Publishing Company, New York, NY. 1290 pp.

British Columbia Conservation Data Centre of British Columbia, HERB database. 2001. British Columbia Ministry of Sustainable Resource Management, Terrestrial Information Branch.

Dellavalle-Sanvictores, M. 2000. Phylogenetic analysis of the genus *Plagiobothrys* (Boraginaceae) using morphological and nutlet pericarp ultrastructural data. Masters Thesis. San Diego State University. Website: <http://www.sci.sdsu.edu/plants/plsyslab/pla/plagio.html>.

Douglas, George W., Gerald B. Straley, Del Meidinger and Jim Pojar. 1998. Illustrated Flora of British Columbia. Vol. 2. Dicotyledons (Balsaminaceae through Cuscutaceae). BC Ministry of Environment, Lands and Parks, and BC Ministry of Forests. 401 pp.

Douglas, George W., Del Meidinger and Jenifer Penny. 2002. Rare Vascular Plants of British Columbia. BC Ministry of Sustainable Resource Management and BC Ministry of Forests. (in press).

Gilkey, Helen and La Rea J. Dennis. 1967. Handbook of Northwestern Plants. Oregon State University Bookstores, Inc. Corvallis, OR. 505 pp.

Hitchcock, C. Leo, Arthur Cronquist, Marion Ownbey, J. W. Thompson. 1959. Vascular Plants of the Pacific Northwest. Part 4: Ericaceae through Campanulaceae. University of Washington Press, Seattle, WA. 510 pp.

Hulten, Eric. 1976. Flora of Alaska and Neighboring Territories. A Manual of the Vascular Plants. Stanford University Press. Stanford, CA.

Johnston, Ivan M. 1923. Studies in Boraginaceae. 4. A synopsis and redefinition of *Plagiobothrys*. Contributions from the Gray Herbarium of Harvard University. New Series. 68:57-80.

Johnston, Ivan M. 1932. Studies in the Boraginaceae, IX. 1. The *Allocarya* section of *Plagiobothrys* in the western United States. 2. Notes on various borages of the western United States. Contributions from the Arnold Arboretum of Harvard University. No. III: 1-102.

Kingsbury, J.M. 1964. Poisonous Plants of the U.S. and Canada. Prentice-Hall, Inc.

Mohlenbrock, Robert H. 1975. Guide to the Vascular Flora of Illinois. Southern Illinois University Press. Feffes & Simons, Inc. London and Amsterdam.

NatureServe. 2001. An online encyclopedia of life. Version 1.5. Arlington, Virginia, USA: Association for Biodiversity Information. Web site: <http://www.natureserve.org/>.

Oregon Natural Heritage Program. 2001. Rare, threatened and endangered plants and animals of Oregon. Web site: <http://www.natureserve.org/nhp/us/or/index.htm>.

Peck, Morton, Eaton. 1961. A Manual of Higher Plants of Oregon. Oregon State University Press, Portland, OR. Binfords and Mort, Publishers. 936 pp.

Radford, Albert E., Harry E. Ahles, C. Ritchie Bell. 1968. Manual of Vascular Flora of the Carolinas. The University of North Carolina Press. Chapel Hill, NC. 1193 pp.

Smith, Edwin, B. 1994. Keys to the Flora of Arkansas. University of Arkansas Press, Fayetteville, AR. 363 pp.

Royal British Columbia Museum, Objects database. 2001. Web site: <http://www.rbcm.gov.bc.ca/>

Tucker, J.M., D.R. Cordy, L.J. Berry, W.A. Harvey & T.C. Fuller. 1961. Nitrate poisoning in livestock. California Agriculture Experimental Station Circular 506.

United States Department of Agriculture, Plants Database. 2001. Natural Resources Conservation Service. Web site: <http://plants.usda.gov/plants>.

Welsh, Stanley L., N. Duane Atwood, Sherel Goodrich, and Larry C. Higgins, editors. 1987. A Utah Flora. Great Basin Naturalist Memoirs. No. 9. Brigham Young University, Provo, UT.

Web pages searched:

Agricola (through UVIC library Gateway)

American Society of Plant Taxonomists: <http://www.sysbot.org/members.htm>

Annual Reviews of Ecology and Systematics (through e-journals)
<http://137.99.27.45/journals.html>

Annual Reviews of Plant Physiology: <http://plant.annualreviews.org/search.dtl>

Arkansas Heritage Program: <http://www.naturalheritage.org/heritage.html>

Botanical Electronic News: <http://www.ou.edu/cas/botany-micro/ben/ben-srch.html>

Canadian Journal of Botany (through e-journals)

Center for Urban Horticulture: <http://depts.washington.edu/urbhort/>

Flowering Plant Gateway: <http://www.csd.tamu.edu/FLORA/newgate/cronang.htm>

Flora of North America: <http://hua.huh.harvard.edu/FNA/>

International Journal of Plant Sciences (through e-journals)

International Organization for Plant Information: <http://iopi.csu.edu.au/iopi/>

Internet Directory for Botany: <http://www.botany.net/IDB/>

IUCN Species survival commission: <http://iucn.org/themes/ssc/index.htm>

Missouri Botanical Garden: <http://www.mobot.org/welcome.html>

National Agriculture Library: <http://www.nal.usda.gov/>

Native Plants Journal: <http://nativeplants.for.uidaho.edu/>

Nature Conservancy (NBII), National Biological Information Infrastructure:
<http://www.nbii.gov/search/sitemap.html>

New York Botanical Garden Press (publications): <http://www.nybg.org/bsci/pub/>

Oregon Flora Project: <http://www.oregonflora.org/index.html>

Oregon Natural Heritage Program: <http://www.abi.org/nhp/us/or/index.htm>

Oregon's Rare and Endangered plants:
<http://www.orst.edu/dept/botany/herbarium/info/re.html>

Oregon State University Herbarium: <http://www.orst.edu/dept/botany/herbarium>

Search Index for American Literature (New York Botanical Garden):
<http://scisun.nybg.org:8890/searchdb/owa/www/ABL.searchform>

Smithsonian Institute, Department of Systematic Botany:
<http://www.nmnh.si.edu/botany/>

Smithsonian Institute, Department of Systematic Botany, publications:
<http://nmnhwww.si.edu/botany/pubs.htm>

Synonymised Checklist of Vascular Flora of the United States, Canada and Greenland:
http://shanana.berkeley.edu/bonap/checklist_intro.html

University of British Columbia, Herbarium: <http://www.botany.ubc.ca/herbarium/>

USDA Forest Service, Rare Plants: <http://www.fs.fed.us/biology>

USDA NRC Plant Materials <http://plant-materials.nrcs.usda.gov/>

US Fish and Wildlife Threatened and Endangered species systems (TESS):
<http://ecos.fws.gov/webpage/>

US Fish and Wildlife Service, Endangered Species Program: <http://endangered.fws.gov/>

US Fish and Wildlife, journals on-line: <http://www.fws.umn.edu/affiliate/journals.html>

US Fish and Wildlife Service, Threatened and Endangered Plants and Animals:
<http://www.fws.gov>

Washington Natural Heritage Program: <http://www.wa.gov/dnr/htdocs/fr/nhp/wanhp.html>

Washington Rare Plant Care and Conservation: <http://depts.washington.edu/rarecare/>

US Parks, Species in Parks: <http://ice.ucdavis.edu/nps/>

Authorities Consulted/Personal communications:

Florence Caplow. Botanist, Washington Natural Heritage Program. Department of Natural Resources. PO Box 47014. Olympia, Washington. Phone: 360-902-1793. Email: Florence.Caplow@wadnr.gov (responded, but information to come).

Mary Dellavalle-Sanvictores. 303 Glenwood Cr. #128, Monterey, CA. Phone: 805-937-6502. Email: mdellava@hotmail.com (responded, but material to come).

Diane Ferguson. Dept. of Biological Sciences, 508 Life Sciences Bldg., Louisiana State University, Baton Rouge, LA. Phone: 225-388-8564. Fax: 225-388-2597. Email: dfergul@lsu.edu (no response).

Dean Kelch, Research Associate, University and Jepson Herbaria, 1001 Valley Life Sciences Building 2465, University of California, Berkeley, CA. Phone: 510-642-2465. Fax: 510-643-5390. Email: dkelch@sscl.berkeley.edu (responded).

James Miller. Missouri Botanical Garden, PO Box 299, St. Louis, MO. Phone: 314-577-9503. Fax: 314-577-0800. Email: james.miller@mobot.org (no response).

Plagio Stewardship Acct.